



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/731,816	12/09/2003	David Burton	24,577-20US	4416
7590	07/10/2008		EXAMINER	
John F. Klos, Esq. Fulbright & Jaworski L.L.P. Suite 2100 80 South Eighth Street Minneapolis, MN 55402-2112			TOTH, KAREN E	
			ART UNIT	PAPER NUMBER
			3735	
			MAIL DATE	DELIVERY MODE
			07/10/2008	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	10/731,816	BURTON ET AL.	
	<b>Examiner</b>	<b>Art Unit</b>	
	KAREN E. TOTH	3735	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

1) Responsive to communication(s) filed on 27 May 2008.

2a) This action is **FINAL**.                            2b) This action is non-final.

3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

4) Claim(s) 56-58,61-67,69-73 and 78-80 is/are pending in the application.

4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.

5) Claim(s) 56-58,61,63-65,67,69-73,78 and 80 is/are allowed.

6) Claim(s) 62,66 and 79 is/are rejected.

7) Claim(s) \_\_\_\_\_ is/are objected to.

8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on \_\_\_\_\_ is/are: a) accepted or b) objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) All    b) Some \* c) None of:

    1. Certified copies of the priority documents have been received.

    2. Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.

    3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

1) Notice of References Cited (PTO-892)

2) Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.

4) Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.

5) Notice of Informal Patent Application

6) Other: \_\_\_\_\_.

## **DETAILED ACTION**

1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

### ***Claim Rejections - 35 USC § 102***

2. Claims 66 and 79 are rejected under 35 U.S.C. 102(b) as being anticipated by Chamoun (US Patent 5320109).

Chamoun discloses a method comprising acquiring a first continuous biosignal with an electrode sensor that responds to pressure (column 3, lines 30-32), stimulating an evoked potential response signal and deriving an evoked potential response signal from the first biosignal (column 11, lines 35-44), deriving a first index of consciousness from the first biosignal and a second index of consciousness from the evoked potential signal (column 5, lines 22-27; column 10, lines 41-50), and determining whether a monitored being is entering or leaving consciousness based on the indices (column 4, lines 3-18, column 7, lines 51-62; column 18, lines 58-64).

### ***Claim Rejections - 35 USC § 103***

3. Claim 62 is rejected under 35 U.S.C. 103(a) as being unpatentable over Chamoun in view of Ennen (US Patent 621627).

Chamoun discloses all the elements of the claimed invention, as described above, except for monitoring the signals for signal quality. Ennen teaches obtaining biosignals from a patient, where the signals are regularly monitored for signal quality

(column 3 line 63 to column 4 line 2; column 4, lines 20-24 and 59-61), in order to ensure the accuracy of the signals. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have followed Chamoun and monitored signal quality, as taught by Ennen, in order to ensure the accuracy of the captured data.

***Allowable Subject Matter***

4. The following is a statement of reasons for the indication of allowable subject matter:

The prior art of record fails to anticipate or make obvious the methods of claims 56-58, 61, 63-65, 67, 69-73, 78, and 80, including, *inter-alia*, acquiring a first continuous biosignal, stimulating an evoked potential response signal, deriving an evoked potential response signal from the first biosignal, deriving a first index of consciousness from the first biosignal, deriving a second index of consciousness from the evoked potential signal, and using the indices in a weighting process to determine whether a monitored being is entering or leaving consciousness based on the indices.

Chamoun discloses a similar method, except for using a weighting process on the indices to classify the being's state of consciousness.

***Response to Arguments***

5. Applicant's arguments with respect to claims 62, 66, and 79 have been considered but are moot in view of the new ground(s) of rejection.

***Conclusion***

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to KAREN E. TOTH whose telephone number is (571)272-6824. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Charles Marmor, II can be reached on 571-272-4730. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Robert L. Nasser Jr/  
Primary Examiner, Art Unit 3735

/K. E. T./  
Examiner, Art Unit 3735